

WCAG Accessibility Fix Checklist

rootedfamilychiro.com

Scanned: March 2, 2026

83

/100

0

CRITICAL

1

SERIOUS

1

MODERATE

1

MINOR

Total Rules Violated: 3 | Total Affected Elements: 4 | Rules Passed: 41 | URL: <http://rootedfamilychiro.com/>

Each row below is one affected HTML element. Work top-to-bottom (sorted by severity). Use the CSS Selector to locate the element. Check the reference URL for fix guidance.

&	#	Severity	Rule	Issue	What Is Wrong	HTML Element	CSS Selector	WCAG	Reference URL
	1	SERIOUS	color-contrast	Elements must meet minimum color contrast ratio thresholds	Element has insufficient color contrast of 2.44 (foreground color: #99ac87, background color: #ffffff, font size: 12.0pt (16px), font weight: normal). Expected contrast ratio of 4.5:1	<pre><p class="" style="white-space:pre-wrap;">Phone
(555) 555-555</p></pre>	<pre>#block-3fc4fc285e1fe38141cb > .sqs-block-content > .sqs-html-content[data-sqsp-text-block-content=""] > p</pre>	wcag2aa, wcag143	https://dequeuniversity.com/rules/axe/4.10/color-contrast?application=axeAPI
	2	SERIOUS	color-contrast	Elements must meet minimum color contrast ratio thresholds	Element has insufficient color contrast of 2.44 (foreground color: #99ac87, background color: #ffffff, font size: 12.0pt (16px), font weight: bold). Expected contrast ratio of 4.5:1	<pre>Phone</pre>	<pre>#block-3fc4fc285e1fe38141cb > .sqs-block-content > .sqs-html-content[data-sqsp-text-block-content=""] > p > strong</pre>	wcag2aa, wcag143	https://dequeuniversity.com/rules/axe/4.10/color-contrast?application=axeAPI
	3	MODERATE	landmark-unique	Landmarks should have a unique role or role/label/title (i.e. accessible name) combination	The landmark must have a unique aria-label, aria-labelledby, or title to make landmarks distinguishable	<pre><nav class="header-nav-list"></pre>	<pre>.header-display-desktop > .header-title-nav-wrapper > .header-nav > .header-nav-wrapper > .header-nav-list</pre>	best-practice	https://dequeuniversity.com/rules/axe/4.10/landmark-unique?application=axeAPI
	4	MINOR	empty-heading	Headings should not be empty	Element does not have text that is visible to screen readers; aria-label attribute does not exist or is empty; aria-labelledby attribute does not exist, references elements that do not exist or references elements that are empty; Element has no title attribute	<pre><h1 data-rte-preserve-empty="true" style="white-space:pre-wrap;"></h1></pre>	<pre>#block-94dd687fe7c770c1eac7 > .sqs-block-content > .sqs-html-content[data-sqsp-text-block-content=""] > h1</pre>	best-practice	https://dequeuniversity.com/rules/axe/4.10/empty-heading?application=axeAPI